

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Nucleophosmin (Acute Myeloid Leukemia Marker) (NA24), CF640R conjugate, 0.1mg/mL, Clone: [NA24], Mouse, Monoclonal BOT-BNC402053-100

Article Name	Nucleophosmin (Acute Myeloid Leukemia Marker) (NA24), CF640R conjugate, 0.1mg/mL, Clone: [NA24], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNC402053-100
Supplier Catalog Number	BNC402053-100
Alternative Catalog Number	BOT-BNC402053-100-100UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human
Immunogen	GST fusion protein containing the N-terminal part of nucleophosmin fused to 14 amino acid of ALK protein
Conjugation	CF640R
Product Description	This antibody recognizes a 33 kDa glycoprotein, identified as Nucleophosmin (NPM). It is predominantly localized in the nucleus of cells in most tissues. NPM is involved in ribosomal assembly and rRNA transport. It is an abundant protein that is high...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[NA24]

Molecular Weight	33 kDa
UniProt	P06748
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user