

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

CD11c (Dendritic Cell Marker) (ITGAX/1243) , CF647 conjugate, 0.1mg/mL, Clone: [ITGAX/1243], Mouse, Monoclonal BOT-BNC471243-100

| | |
|----------------------------|---|
| Article Name | CD11c (Dendritic Cell Marker) (ITGAX/1243) , CF647 conjugate, 0.1mg/mL, Clone: [ITGAX/1243], Mouse, Monoclonal |
| Biozol Catalog Number | BOT-BNC471243-100 |
| Supplier Catalog Number | BNC471243-100 |
| Alternative Catalog Number | BOT-BNC471243-100-100UL |
| Manufacturer | Biotium |
| Host | Mouse |
| Category | Antikörper |
| Species Reactivity | Human |
| Immunogen | Recombinant human ITGAX protein fragment (aa 637-827) (exact sequence is proprietary) |
| Conjugation | CF647 |
| Product Description | This antibody recognizes a protein of 145 kDa, identified as CD11c. CD11c (ITGAX), a member of the leukointegrin family, shares the same beta subunit with other members of the leukocyte adhesion molecule family, which includes CD11a (LFA-1), CD11b (M... |
| Clonality | Monoclonal |
| Concentration | 0.1 mg/mL |
| Clone Designation | [ITGAX/1243] |
| Molecular Weight | 145 kDa |

| | |
|-------------------|--|
| UniProt | P20702 |
| Buffer | PBS, 0.1% BSA, 0.05% azide |
| Source | Animal |
| Application Notes | For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry |