

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

TRP1 (Tyrosinase Related Protein 1) (TA99 + TYRP1/807), CF568 conjugate, 0.1mg/mL, Clone: [TA99 TYRP1/807], Mouse, Monoclonal BOT-BNC680808-500

| | |
|----------------------------|---|
| Article Name | TRP1 (Tyrosinase Related Protein 1) (TA99 + TYRP1/807), CF568 conjugate, 0.1mg/mL, Clone: [TA99 TYRP1/807], Mouse, Monoclonal |
| Biozol Catalog Number | BOT-BNC680808-500 |
| Supplier Catalog Number | BNC680808-500 |
| Alternative Catalog Number | BOT-BNC680808-500-500UL |
| Manufacturer | Biotium |
| Host | Mouse |
| Category | Antikörper |
| Species Reactivity | Human, Mouse |
| Immunogen | SK-MEL-23 cells (TA99), Recombinant full-length human TYRP1 protein (TYRP1/807) |
| Conjugation | CF568 |
| Product Description | This antibody reacts with a 75 kDa melanocyte-specific gene product, identified as Tyrosinase-related protein-1 (TRP-1). It is involved in melanin synthesis. TRP1 is present on the melanosomal membranes of melanoma, normal melanocytes and nevi.Recent... |
| Clonality | Monoclonal |
| Concentration | 0.1 mg/mL |
| Clone Designation | [TA99 TYRP1/807] |
| Molecular Weight | 75 kDa |

| | |
|-------------------|---|
| UniProt | P17643 |
| Buffer | PBS, 0.1% BSA, 0.05% azide |
| Source | Animal |
| Application Notes | For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Not suitable for FFPE sections Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry |