

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **bcl-6(BCL6/850), CF568 conjugate, 0.1mg/mL, Clone: [BCL6/850], Mouse, Monoclonal BOT-BNC680850-500**

|                            |   |
|----------------------------|---|
| Article Name               | bcl-6(BCL6/850), CF568 conjugate, 0.1mg/mL, Clone: [BCL6/850], Mouse, Monoclonal  |
| Biozol Catalog Number      | BOT-BNC680850-500   |
| Supplier Catalog Number    | BNC680850-500   |
| Alternative Catalog Number | BOT-BNC680850-500-500UL   |
| Manufacturer               | Biotium   |
| Host                       | Mouse   |
| Category                   | Antikörper  |
| Species Reactivity         | Human, Mouse  |
| Immunogen                  | Recombinant human bcl-6 protein   |
| Conjugation                | CF568   |
| Product Description        | Bcl-6 is a transcriptional repressor mainly required for germinal center (GC) formation and antibody affinity maturation which has different mechanisms of action specific to the lineage and biological functions. It forms complexes with different core... |
| Clonality                  | Monoclonal  |
| Concentration              | 0.1 mg/mL   |
| Clone Designation          | [BCL6/850]  |
| Molecular Weight           | 95 kDa  |

|                   |   |
|-------------------|---|
| UniProt           | P41182  |
| Buffer            | PBS, 0.1% BSA, 0.05% azide  |
| Source            | Animal  |
| Application Notes | <p>For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry</p> |