

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **CD20 / MS4A1 (B-Cell Marker) (IGEL/1497R), CF568 conjugate, 0.1mg/mL, Clone: [IGEL/1497R], Rabbit, Monoclonal BOT-BNC681497-500**

Article Name	CD20 / MS4A1 (B-Cell Marker) (IGEL/1497R), CF568 conjugate, 0.1mg/mL, Clone: [IGEL/1497R], Rabbit, Monoclonal
Biozol Catalog Number	BOT-BNC681497-500
Supplier Catalog Number	BNC681497-500
Alternative Catalog Number	BOT-BNC681497-500-500UL
Manufacturer	Biotium
Host	Rabbit
Category	Antikörper
Application	FC, IHC
Species Reactivity	Human
Immunogen	Recombinant human full-length MS4A1 protein
Conjugation	CF568
Product Description	This antibody recognizes a protein of 30-33 kDa, which is identified as CD20. It is a non-Ig differentiation antigen of B-cells and its expression is restricted to normal and neoplastic B-cells, being absent from all other leukocytes and tissues. CD2...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[IGEL/1497R]

Molecular Weight	33-37 kDa
UniProt	<a href="#">P11836</a>
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Immunofluorescence 0.5-1 ug/mL Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user