

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **Cytokeratin 7 (Glandular and Transitional Epithelial Marker) (KRT7/1499R), CF568 conjugate, 0.1mg/mL, Clone: [KRT7/1499R], Rabbit, Monoclonal BOT-BNC681499-500**

Article Name	Cytokeratin 7 (Glandular and Transitional Epithelial Marker) (KRT7/1499R), CF568 conjugate, 0.1mg/mL, Clone: [KRT7/1499R], Rabbit, Monoclonal
Biozol Catalog Number	BOT-BNC681499-500
Supplier Catalog Number	BNC681499-500
Alternative Catalog Number	BOT-BNC681499-500-500UL
Manufacturer	Biotium
Host	Rabbit
Category	Antikörper
Application	FC, IHC, WB
Species Reactivity	Human
Immunogen	Recombinant full-length human KRT7 protein
Conjugation	CF568
Product Description	This antibody recognizes an intermediate filament protein (IFP) of 55 kDa, which is identified as cytokeratin 7. This MAb is highly specific to cytokeratin 7 and shows no cross-reaction with other IFPs. Cytokeratin 7 is a basic cytokeratin, which is ...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[KRT7/1499R]

Molecular Weight	55 kDa
UniProt	<a href="#">P08729</a>
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Immunofluorescence 0.5-1 ug/mL Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user