

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **FABP2 (Marker of Metastatic Potential in Colorectal Cancer)(CPTC-FABP2-3), Biotin conjugate, 0.1mg/mL, Clone: [CPTC-FABP2-3], Mouse, Monoclonal BOT-BNCB2226-500**

Article Name	FABP2 (Marker of Metastatic Potential in Colorectal Cancer)(CPTC-FABP2-3), Biotin conjugate, 0.1mg/mL, Clone: [CPTC-FABP2-3], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNCB2226-500
Supplier Catalog Number	BNCB2226-500
Alternative Catalog Number	BOT-BNCB2226-500-500UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Species Reactivity	Human
Immunogen	Recombinant full length human FABP2 protein
Conjugation	Biotin
Product Description	The intracellular fatty acid-binding proteins (FABPs) belong to a multigene family with nearly twenty identified members. FABPs are divided into at least three distinct types, namely the hepatic-, intestinal- and cardiac-type. They form 14-15 kDa pro...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[CPTC-FABP2-3]

Molecular Weight	15.21 kDa
UniProt	<a href="#">P12104</a>
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry