

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **Cytokeratin 6A (KRT6A) (Basal Cell Marker) (KRT6A/2368), Biotin conjugate, 0.1mg/mL, Clone: [KRT6A/2368], Mouse, Monoclonal BOT-BNCB2368-100**

Article Name	Cytokeratin 6A (KRT6A) (Basal Cell Marker) (KRT6A/2368), Biotin conjugate, 0.1mg/mL, Clone: [KRT6A/2368], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNCB2368-100
Supplier Catalog Number	BNCB2368-100
Alternative Catalog Number	BOT-BNCB2368-100-100UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	FC, IHC
Species Reactivity	Human
Immunogen	Recombinant full-length human Cytokeratin 6A (KRT6A) protein
Conjugation	Biotin
Product Description	This MAb recognizes a protein of 56 kDa, identified as cytokeratin 6A (KRT6A). In humans, multiple isoforms of Cytokeratin 6 (6A-6F), encoded by several highly homologous genes, have distinct tissue expression patterns. Cytokeratin 6A is the dominant...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[KRT6A/2368]

Molecular Weight	56 kDa
UniProt	<a href="#">P02538</a>
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user