

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Blood Group A(HE-14), 0.2mg/mL, Clone: [HE-14], Mouse, Monoclonal BOT-BNUB0235-100

Article Name	Blood Group A(HE-14), 0.2mg/mL, Clone: [HE-14], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNUB0235-100
Supplier Catalog Number	BNUB0235-100
Alternative Catalog Number	BOT-BNUB0235-100-100UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human
Immunogen	Mixture of erythrocytes of blood group A1 and glycoprotein fraction isolated from the saliva of secretors with blood group A
Product Description	This antibody is applicable for staining ABO blood group A (monofucosyl and difucosyl A antigens with chain types 1, 2, 3, 4, 5, 6). It also recognizes Forssman antigen. It is also reactive with the immuno-dominant A trisaccharide. The histo-blood gr...
Clonality	Monoclonal
Concentration	0.2 mg/mL
Clone Designation	[HE-14]
Molecular Weight	Multiple
UniProt	<a href="#">P16442</a>

Buffer	PBS, 0.05% BSA, 0.05% azide
Source	Animal
Application Notes	Immunofluorescence: 0.5-1 ug/mL Immunohistology (formalin) Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user