

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Cytokeratin, LMW(AE-1), 0.2mg/mL, Clone: [AE-1], Mouse, Monoclonal BOT-BNUB0253-100

Article Name	Cytokeratin, LMW(AE-1), 0.2mg/mL, Clone: [AE-1], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNUB0253-100
Supplier Catalog Number	BNUB0253-100
Alternative Catalog Number	BOT-BNUB0253-100-100UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	FC, IHC, WB
Species Reactivity	Bovine, Canine, Gallus, Human, Monkey, Mouse, Rabbit, Rat, Reptile
Immunogen	Human epidermal keratin
Product Description	This MAb recognizes the 56.5 kDa (CK10), 50 kDa (CK14), 50 kDa (CK15), 48 kDa (CK16), 40 kDa (CK19) keratins of the acidic (Type I or LMW) subfamily. Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pI 6.0) sub...
Clonality	Monoclonal
Concentration	0.2 mg/mL
Clone Designation	[AE-1]
Molecular Weight	40-56.5 kDa
UniProt	<a href="#">Q7Z794</a>

Buffer	PBS, 0.05% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user