

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Cytokeratin 8(TS1), 0.2mg/mL, Clone: [TS1], Mouse, Monoclonal BOT-BNUB0627-500

|                            |                                                                                                                                                                                                                                                               |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Name               | Cytokeratin 8(TS1), 0.2mg/mL, Clone: [TS1], Mouse, Monoclonal                                                                                                                                                                                                 |
| Biozol Catalog Number      | BOT-BNUB0627-500                                                                                                                                                                                                                                              |
| Supplier Catalog Number    | BNUB0627-500                                                                                                                                                                                                                                                  |
| Alternative Catalog Number | BOT-BNUB0627-500-500UL                                                                                                                                                                                                                                        |
| Manufacturer               | Biotium                                                                                                                                                                                                                                                       |
| Host                       | Mouse                                                                                                                                                                                                                                                         |
| Category                   | Antikörper                                                                                                                                                                                                                                                    |
| Application                | FC, IF, IHC, WB                                                                                                                                                                                                                                               |
| Species Reactivity         | Human                                                                                                                                                                                                                                                         |
| Immunogen                  | Keratin preparation from a human carcinoma                                                                                                                                                                                                                    |
| Product Description        | Cytokeratin 8 (CK8) belongs to the type II (or B or basic) subfamily of high molecular weight cytokeratins, and exists in combination with cytokeratin 18 (CK18). CK8 is primarily found in the non-squamous epithelia and is present in majority of adeno... |
| Clonality                  | Monoclonal                                                                                                                                                                                                                                                    |
| Concentration              | 0.2 mg/mL                                                                                                                                                                                                                                                     |
| Clone Designation          | [TS1]                                                                                                                                                                                                                                                         |
| Molecular Weight           | 52.5 kDa                                                                                                                                                                                                                                                      |
| UniProt                    | <a href="#">P05787</a>                                                                                                                                                                                                                                        |

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Buffer            | PBS, 0.05% BSA, 0.05% azide                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Source            | Animal                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Application Notes | <p>Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Does not react with rat or ferret, others not known Immunohistology formalin-fixed 0.5-1.0 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user</p> |