

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Retinol Binding Protein-1(G4E4), 0.2mg/mL, Clone: [G4E4], Mouse, Monoclonal **BOT-BNUB0855-500**

| | |
|----------------------------|--|
| Article Name | Retinol Binding Protein-1(G4E4), 0.2mg/mL, Clone: [G4E4], Mouse, Monoclonal |
| Biozol Catalog Number | BOT-BNUB0855-500 |
| Supplier Catalog Number | BNUB0855-500 |
| Alternative Catalog Number | BOT-BNUB0855-500-500UL |
| Manufacturer | Biotium |
| Host | Mouse |
| Category | Antikörper |
| Application | IHC |
| Species Reactivity | Goat, Human, Monkey, Mouse, Primate, Rabbit, Rat |
| Immunogen | Retinol binding protein-1 purified from human plasma |
| Product Description | This MAbs recognizes an epitope within the 74-182 C-terminal sequence (11kD peptide fragment) of human serum Cellular Retinol Binding Protein 1 (CRBP 1), a single-chain glycoprotein belonging to the superfamily of hydrophobic molecule transporter prot... |
| Clonality | Monoclonal |
| Concentration | 0.2 mg/mL |
| Clone Designation | [G4E4] |
| Molecular Weight | 21-25 kDa |

| | |
|-------------------|---|
| UniProt | P02753 |
| Buffer | PBS, 0.05% BSA, 0.05% azide |
| Source | Animal |
| Application Notes | Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user |