

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **CD1a(66IIC7), 0.2mg/mL, Clone: [66IIC7], Mouse, Monoclonal BOT-BNUB1034-500**

Article Name	CD1a(66IIC7), 0.2mg/mL, Clone: [66IIC7], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNUB1034-500
Supplier Catalog Number	BNUB1034-500
Alternative Catalog Number	BOT-BNUB1034-500-500UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	FC, IHC
Species Reactivity	Human
Immunogen	Human thymocytes
Product Description	At least five CD1 genes (CD1a, b, c, d, and e) are identified. CD1 proteins have been demonstrated to restrict T cell response to non-peptide lipid and glycolipid antigens and play a role in non-classical antigen presentation. CD1a is a non-polymorph...
Clonality	Monoclonal
Concentration	0.2 mg/mL
Clone Designation	[66IIC7]
Molecular Weight	49 kDa
UniProt	<a href="#">P06126</a>

Buffer	PBS, 0.05% BSA, 0.05% azide
Source	Animal
Application Notes	<p>Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user</p>