

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

ZAP70(ZAP70/528 + 2F3.2), 0.2mg/mL, Clone: [ZAP70/528 2F3.2], Mouse, Monoclonal BOT-BNUB1137-500

Article Name	ZAP70(ZAP70/528 + 2F3.2), 0.2mg/mL, Clone: [ZAP70/528 2F3.2], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNUB1137-500
Supplier Catalog Number	BNUB1137-500
Alternative Catalog Number	BOT-BNUB1137-500-500UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human
Immunogen	Recombinant full-length human ZAP70 protein (ZAP70/528), Recombinant ZAP-70 protein including residues 1-254 and encompassing SH2 domains of human ZAP70 (2F3.2)
Product Description	ZAP70 is a 70 kDa protein tyrosine kinase found in T-cells and natural killer cells. Control of this protein translation is via the IgVH gene. ZAP70 protein is expressed in leukemic cells of approximately 25% of chronic lymphocytic leukemia (CLL) case...
Clonality	Monoclonal
Concentration	0.2 mg/mL
Clone Designation	[ZAP70/528 2F3.2]

Molecular Weight	70 kDa
UniProt	P43403
Buffer	PBS, 0.05% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user