

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **ACTH (Adrenocorticotrophic Hormone) (N-Terminal) (Pituitary Marker) (r57), 0.2mg/mL, Clone: [r57], Mouse, Monoclonal BOT-BNUB1380-500**

Article Name	ACTH (Adrenocorticotrophic Hormone) (N-Terminal) (Pituitary Marker) (r57), 0.2mg/mL, Clone: [r57], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNUB1380-500
Supplier Catalog Number	BNUB1380-500
Alternative Catalog Number	BOT-BNUB1380-500-500UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human, Mouse, Rat
Immunogen	N-terminal fragment of human ACTH conjugated to KLH
Product Description	ACTH (same as Corticotropin) is a 39 amino acid active peptide produced by the anterior pituitary. This MAb is specific to Synacthen (aa1-24 of ACTH), does not react with CLIP (aa17-39 of ACTH). POMC (pro-opiomelanocortin or corticotropin-lipotropin)...
Clonality	Monoclonal
Concentration	0.2 mg/mL
Clone Designation	[r57]
Molecular Weight	ACTH is ~5 kDa

UniProt	<a href="#">P01189</a>
Buffer	PBS, 0.05% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology (formalin): 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL ELISA For coating, order Ab without BSA Optimal dilution for a specific application should be determined by user