

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **TSH-Receptor, A-Chain (Thyroid Marker) (TSHRA/1402), 0.2mg/mL, Clone: [TSHRA/1402], Mouse, Monoclonal BOT-BNUB1402-100**

Article Name	TSH-Receptor, A-Chain (Thyroid Marker) (TSHRA/1402), 0.2mg/mL, Clone: [TSHRA/1402], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNUB1402-100
Supplier Catalog Number	BNUB1402-100
Alternative Catalog Number	BOT-BNUB1402-100-100UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human
Immunogen	A-Chain protein Recombinant human TSHR
Product Description	Thyroid-stimulating hormone (TSH, also known as thyrotropin) is a glycoprotein involved in the control of thyroid structure and metabolism, which stimulates the release of the thyroid hormones. TSH is regulated by thyroid hormone (T3) and various ret...
Clonality	Monoclonal
Concentration	0.2 mg/mL
Clone Designation	[TSHRA/1402]
Molecular Weight	62 kDa

UniProt	<a href="#">P16473</a>
Buffer	PBS, 0.05% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology (formalin): 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0 for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user