

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Thrombomodulin / CD141 (Endothelial Cell Marker) (THBD/1782), 0.2mg/mL, Clone: [THBD/1782], Mouse, Monoclonal BOT-BNUB1782-500

Article Name	Thrombomodulin / CD141 (Endothelial Cell Marker) (THBD/1782), 0.2mg/mL, Clone: [THBD/1782], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNUB1782-500
Supplier Catalog Number	BNUB1782-500
Alternative Catalog Number	BOT-BNUB1782-500-500UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human
Immunogen	Recombinant human Thrombomodulin protein fragment (aa69-194) (exact sequence is proprietary)
Product Description	This antibody recognizes a protein of 75 kDa, identified as Thrombomodulin. Thrombomodulin is a transmembrane glycoprotein with natural anticoagulant properties. It is normally expressed by a restricted number of cells, such as endothelial and mesoth...
Clonality	Monoclonal
Concentration	0.2 mg/mL
Clone Designation	[THBD/1782]
Molecular Weight	100 kDa

UniProt	P07204
Buffer	PBS, 0.05% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody ELISA: 2-4 ug/mL for coating order Ab without BSA Immunofluorescence: 0.5-1 ug/mL Immunohistology (formalin) 1-2 ug/mL Staining of formalin-fixed tissues is enhanced by boiling tissue sections in 10 mM Tris buffer with 1 mM EDTA pH 9.0 for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user