

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **CD7 (T-Cell Leukemia Marker)(CD7/3737), 0.2mg/mL, Clone: [CD7/3737], Mouse, Monoclonal BOT-BNUB2056-100**

Article Name	CD7 (T-Cell Leukemia Marker)(CD7/3737), 0.2mg/mL, Clone: [CD7/3737], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNUB2056-100
Supplier Catalog Number	BNUB2056-100
Alternative Catalog Number	BOT-BNUB2056-100-100UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Species Reactivity	Human
Immunogen	Recombinant human full-length CD7 protein
Product Description	Recognizes a protein of 40 kDa, identified as CD7 (also known as gp40, Leu9). CD7 is a member of the immunoglobulin gene superfamily. Its N-terminal amino acids 1-107 are highly homologous to Ig kappa-L chains whereas the carboxyl-terminal region of ...
Clonality	Monoclonal
Concentration	0.2 mg/mL
Clone Designation	[CD7/3737]
Molecular Weight	40 kDa
UniProt	<a href="#">P09564</a>

Buffer	PBS, 0.05% BSA, 0.05% azide
Source	Animal
Application Notes	For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry