

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **CD31 / PECAM-1(C31.3 + C31.7 + C31.10), 1mg/mL, Clone: [C31.3 C31.7 C31.10], Mouse, Monoclonal BOT-BNUM1099-50**

Article Name	CD31 / PECAM-1(C31.3 + C31.7 + C31.10), 1mg/mL, Clone: [C31.3 C31.7 C31.10], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNUM1099-50
Supplier Catalog Number	BNUM1099-50
Alternative Catalog Number	BOT-BNUM1099-50-50UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	IHC, WB
Species Reactivity	Human, Primate, Rabbit, Rat
Immunogen	Human recombinant CD31 protein
Product Description	CD31 (PECAM-1) is a transmembrane glycoprotein member of the immunoglobulin supergene family of adhesion molecules. CD31 is expressed by stem cells of the hematopoietic system and is primarily used to identify and concentrate these cells for experime...
Clonality	Monoclonal
Concentration	1 mg/mL
Clone Designation	[C31.3 C31.7 C31.10]
Molecular Weight	~100 kDa (endothelium) and ~130 kDa (platelets)

UniProt	<a href="#">P16284</a>
Buffer	PBS, no BSA, no azide
Source	Animal
Application Notes	Immunohistology formalin-fixed 1-2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes Immunofluorescence 0.5-1 ug/mL Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1.0 ug/mL Optimal dilution for a specific application should be determined by user