

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **CD25 / IL2RA (Activated Lymphocyte Marker)(IL2RA/2394), 1mg/mL, Clone: [IL2RA/2394], Mouse, Monoclonal BOT-BNUM2394-50**

Article Name	CD25 / IL2RA (Activated Lymphocyte Marker)(IL2RA/2394), 1mg/mL, Clone: [IL2RA/2394], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNUM2394-50
Supplier Catalog Number	BNUM2394-50
Alternative Catalog Number	BOT-BNUM2394-50-50UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Species Reactivity	Human
Immunogen	Recombinant human IL2RA protein fragment (around aa 42-183) (exact sequence is proprietary)
Product Description	Recognizes a protein of 55 kDa, identified as CD25. It is expressed on activated T- and B-cells and activated monocytes/macrophages. With respect to lymphomas, CD25 is present on malignant cells of Hodgkins disease, HTLV-1 adult T-cell leukemia, cuta...
Clonality	Monoclonal
Concentration	1 mg/mL
Clone Designation	[IL2RA/2394]
Molecular Weight	55 kDa
UniProt	<a href="#">P01589</a>

Buffer	PBS, no BSA, no azide
Source	Animal
Application Notes	For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry