

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **Secretory Component / ECM1 (ECM1/2889R), 1mg/mL, Clone: [ECM1/2889R], Rabbit, Monoclonal BOT-BNUM2889-50**

Article Name	Secretory Component / ECM1 (ECM1/2889R), 1mg/mL, Clone: [ECM1/2889R], Rabbit, Monoclonal
Biozol Catalog Number	BOT-BNUM2889-50
Supplier Catalog Number	BNUM2889-50
Alternative Catalog Number	BOT-BNUM2889-50-50UL
Manufacturer	Biotium
Host	Rabbit
Category	Antikörper
Application	IHC
Species Reactivity	Human, Rat
Immunogen	Recombinant full-length human ECM1 protein
Product Description	This MAbs reacts with a reduction-resistant epitope present in both free and IgA bound Secretory Component. It does not react with the cell lines lacking secretory component. The antibody is useful for studying the distribution and level of both free...
Clonality	Monoclonal
Concentration	1 mg/mL
Clone Designation	[ECM1/2889R]
Molecular Weight	~80 kDa

UniProt	<a href="#">Q16610</a>
Buffer	PBS, no BSA, no azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 0.5-1 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user