

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | Fax: +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-Cytokeratin, pan (Epithelial Marker) Monoclonal Antibody(Clone: KRTH/1576R + KRTL/1577R), Clone: [KRTH/1576R + KRTL/1577R], Rabbit ABI-36-3804

| Article Name | Anti-Cytokeratin, pan (Epithelial Marker) Monoclonal Antibody(Clone: KRTH/1576R + KRTL/1577R), Clone: [KRTH/1576R + KRTL/1577R], Rabbit |
|----------------------------|--|
| Biozol Catalog Number | ABI-36-3804 |
| Supplier Catalog Number | 36-3804 |
| Alternative Catalog Number | ABI-36-3804-100UG |
| Manufacturer | Abeomics |
| Host | Rabbit |
| Category | Antikörper |
| Application | IHC |
| Species Reactivity | Human |
| Immunogen | Recombinant full-length human KRT76 and KRT77 proteins |
| Product Description | Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody cocktail recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, which 67kDa (CK1), 64kDa (CK3), 59kDa (CK4 |
| Clonality | Monoclonal |
| Clone Designation | [KRTH/1576R + KRTL/1577R] |
| NCBI | 374454 |
| UniProt | Q7Z794 |

| Antibody Type | Monoclonal Antibody |
|--------------------|---|
| Application Dilute | Immunohistochemistry (Formalin-fixed) (0.25-0.5ug/ml for 30 min at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes), |