

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Recombinant Human CCL15/MIP-5/HCC-2 Protein ABB-RP01966

Article Name	Recombinant Human CCL15/MIP-5/HCC-2 Protein
Biozol Catalog Number	ABB-RP01966
Supplier Catalog Number	RP01966
Alternative Catalog Number	ABB-RP01966-20UG,ABB-RP01966-50UG,ABB-RP01966-500UG,ABB-RP01966-1000UG,ABB-RP01966-10UG,ABB-RP01966-100UG
Manufacturer	ABclonal
Host	Human
Category	Proteine/Peptide
Species Reactivity	Human
Immunogen	Ser46-Ile113
Product Description	Chemokine ligand 15 (CCL15), also known as leukotactin-1, MIP5, MIP1 and HCC-2, is a small cytokine belonging to the C-C chemokine family. CCL15 is prevantly expressed in liver, small intestine, colon, and in certain leukocytes and macrophages of the
Concentration	$< 0.01 \; EU/\mu g$ of the protein by LAL method
Molecular Weight	8.2 KDa
NCBI	6359
UniProt	Q16663
Purity	95 % as determined by SDS-PAGE.
Form	Lyophilized from a 0.2 μm filtered solution of PBS, pH 7.4.

Sequence	SFHFAADCCTSYISQSIPCSLMKSYFETSSECSKPGVIFLTKKGRQVCAKPSGP GVQDCMKKLKPYSI
Target	CCL15, MIP5, NCC3, SCYA15
Application Dilute	Lyophilized from a 0.2 μm filtered solution of PBS, pH 7.4.
Application Notes	Cross-Reactivity: Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage,it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA,5% HSA,10% FBS or 5% Trehalose),and aliquot the reconstituted protein solution to minimize free-thaw cycles., ResearchArea: Cytokines & Cytokine receptors