

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Biotinylated Recombinant Human BTN1A1/Butyrophilin Protein ABB-RP02557B

Biotinylated Recombinant Human BTN1A1/Butyrophilin Protein
ABB-RP02557B
RP02557B
ABB-RP02557B-100UG,ABB-RP02557B-500UG
ABclonal
Human
Proteine/Peptide
Human
Ala27-Arg242
Butyrophilin 1A1 (BTN1A1) is one of the membrane proteins that surrounds LD,BTN1A1 plays an important role in regulating LD synthesis via ahanism involving membrane phospholipid composition
$< 1$ EU/ $\mu$ g of the protein by LAL method.
26.9 kDa
696
Q13410
95 % as determined by Tris-Bis PAGE, 95 % as determined by HPLC.
Lyophilized from a 0.22 $\mu m$ filtered solution of PBS, pH 7.4.

Target	BTN1A1/Butyrophilin
Application Dilute	Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.
Application Notes	Cross-Reactivity: Centrifuge the tube before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA,5% HSA,10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles., ResearchArea: Other Recombinant Protein