

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant Human Macrophage migration inhibitory factor/MIF Protein, E. coli ABB-RP02895

Article Name	Recombinant Human Macrophage migration inhibitory factor/MIF Protein, E. coli
Biozol Catalog Number	ABB-RP02895
Supplier Catalog Number	RP02895
Alternative Catalog Number	ABB-RP02895-10UG,ABB-RP02895-100UG,ABB-RP02895-50UG,ABB-RP02895-20UG
Manufacturer	ABclonal
Host	E. coli
Category	Proteine/Peptide
Species Reactivity	Human
Immunogen	(Met1-Ala115)
Product Description	MIF (or macrophage migration inhibitory factor) was the first lymphokine/cytokine to be recognized in the pregenomics era . Regardless, it is one of the least understood of all inflammatory mediators . Secretion occurs nonclassically via an ABCA1 tra
Concentration	< 1 EU/ μ g of the protein by LAL method.
Molecular Weight	13.32 kDa
NCBI	4282
UniProt	P14174
Purity	95 % as determined by SDS-PAGE.

Form	Lyophilized from a 0.22 µm filtered solution of 20mM PB,150mM NaCl,pH7.4/20mM PB,150mM NaCl,pH7.4,50% glycerol
Sequence	MPMFIVNTNVPRASVPDGFLSELTQQLAQATGKPPQYIAVHVVPDQLMAFGG SSEPCALCSLHSIGKIGGAQNRSYSKLLCGLLAERLRISPDRVYINYYDMNAAN VGWNNSTFA
Target	Macrophage migion inhibitory factor/MIF
Application Dilute	Lyophilized from a 0.22 µm filtered solution of 20mM PB,150mM NaCl,pH7.4/20mM PB,150mM NaCl,pH7.4,50% glycerol
Application Notes	Cross-Reactivity: opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA,5% HSA,10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles. ResearchArea: Cytokines & Cytokine receptors