

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Goat F(ab')2 anti-Human IgG (F(ab')2)-TRITC, MinX none NMB-FGAHU/FAB/TRITC

Article Name	Goat F(ab')2 anti-Human IgG (F(ab')2)-TRITC, MinX none
Biozol Catalog Number	NMB-FGAHU/FAB/TRITC
Supplier Catalog Number	FGAHu/Fab/TRITC
Alternative Catalog Number	NMB-FGAHU/FAB/TRITC
Manufacturer	NordicMubio
Host	Goat
Category	Antikörper
Species Reactivity	Human
Conjugation	TRITC
Format	F(ab')2
Target Specificity	IgG (F(ab')2)
Cross-Adsorption (MinX)	no cross-adsorbtion
Product Description	The antiserum is reacting with to the Fab subunits of the IgG, IgA, IgM and other Ig classes of both light chain type, with their Fab or F(ab)2 subunits and with free immunoglobulin light chains of kappa and lambda type. It does not react with any no...
Clonality	Polyclonal
Clone Designation	[Polyclonal]

Buffer	TRITC-coupled goat F(ab)2 antibodies lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added. It is reconstituted by adding 1 ml sterile distilled water, spun down to remove insoluble particles, divided into small a
Source	Purified Fab prepared from normal IgG isolated from pooled human serum. Freunds complete adjuvant is used in the first step of the immunization procedure.
Form	TRITC
Formula	TRITC-coupled goat F(abO)2 antibodies lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added.
Antibody Type	Secondary Antibody
Application Notes	ELISA, Immunocytochemistry, Immunohistochemistry (frozen), (In)direct immunofluorescence.