

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Rat TNF alpha protein, His tag (active), Unconjugated GTX00342-PRO

Article Name	Rat TNF alpha protein, His tag (active), Unconjugated
Biozol Catalog Number	GTX00342-PRO
Supplier Catalog Number	GTX00342-pro
Alternative Catalog Number	GTX00342-PRO-10
Manufacturer	GeneTex
Category	Proteine/Peptide
Application	FA
Species Reactivity	Rat
Conjugation	Unconjugated
NCBI	24835
UniProt	P16599
Buffer	Reconstitute with 20mM Tris and 150mM NaCl to 0.1-1.0mg/ml. Do not vortex. Lyophilized from 20mM Tris, 150mM NaCl, 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose, ProClin 300.
Expression System	E. coli
Form	Lyophilized powder
Sequence	N-terminal His-Tag, Leu80~Leu235 (NP_036807.1)

Application Notes

TNF-a (Tumor necrosis factor), being an endogenous pyrogen, is able to induce fever, apoptotic cell death, inflammation and to inhibit tumorigenesis. As reported, TNFa could inhibit the proliferation and induce apoptosis of A549 cells, and the concentration of IL-1beta and IL-8 in cell supernatant will increase after stimulation. Therefore, A549 cells were incubated in DMEM with TNFa (1 ng/ml, 10 ng/ml, 100 ng/ml) for 8h, IL-1beta and IL-8 were detected in the cell supernatant by ELISA. After incubation with TNF-a for 8h, IL-1beta significantly increased in the cell supernatant.