

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant Human CLEC2D Protein ABB-RP02723

Recombinant Human CLEC2D Protein
ABB-RP02723
RP02723
ABB-RP02723-100UG
ABclonal
Human
Proteine/Peptide
Human
Arg60-Val191
C-type lectin domain family 2, member D (CLEC2D) is implicated in the immune response. Pre-eclampsia and HIV infection have opposing immune responses. The contrasting expression of CLEC2D in HIV infection and pre-eclampsia is demonstrative of the imm
< 1 EU/ μ g of the protein by LAL method.
59.1 kDa
29121
Q9UHP7
95 % as determined by Tris-Bis PAGE, 95 % as determined by HPLC.
CLEC2D

Application Notes

Cross-Reactivity: Centrifuge the tube before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA,5% HSA,10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles. ResearchArea: Other Recombinant Protein