

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

CRTC2 (CREB regulated transcription coactivator 2, TORC2, CREB-regulated transcription coactivator 2, TORC-2, Transducer of CREB protein 2, Transducer of regulated cAMP response element-binding protein (CREB) 2, Transducer of regulated transcription coactivator 2, ToRC-2, Transducer of CREB protein (CREB) 2, Transducer of regulated transcription coactivator 2, TORC-2, CREB-regulated transcription coactivator 2, ToRC-2, CREB-regulated transcription coactivator 2, ToRC-2, CREB-regulated transcription coactivator 2, ToRC-2, Transducer of CREB protein 2, Transducer of regulated transcription coactivator 2, ToRC-2, Transducer of CREB protein 2, Transducer of regulated transcription coactivator 2, ToRC-2, Transducer of CREB protein 2, Transducer of regulated transcription coactivator 2, ToRC-2, Transducer of CREB protein 2, Transducer of regulated transcription coactivator 2, ToRC-2, Transducer of CREB protein 2, Transducer of regulated transcription coactivator 2, ToRC-2, T

Article Name	CRTC2 (CREB regulated transcription coactivator 2, TORC2, CREB-regulated transcription coactivator 2, TORC-2, Transducer of CREB protein 2, Transducer of regulated cAMP response element-binding protein (CREB) 2, Transducer of regu
Biozol Catalog Number	USB-208095
Supplier Catalog Number	208095
Alternative Catalog Number	USB-208095-100
Manufacturer	US Biological
Host	Goat
Category	Antikörper
Application	ELISA, WB
Immunogen	Synthetic peptide corresponding to C-HGQQPYHRPIND, from the internal region of mouse CRTC2
Product Description	The CREB coactivator TORC2 is a key regulator of fasting glucose metabolism. Hormonal and energy-sensing pathways converge on the coactivator TORC2 (transducer of regulated CREB activity 2) to modulate glucose output. Sequestered in the cytoplasm und
NCBI	859066
Purity	Purified by immunoaffinity chromatography.

Form	Supplied as a liquid in Tris saline, pH 7.3, 0.5% BSA, 0.02% sodium azide.
------	--