

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat anti-ERG Antibody, Unconjugated, Polyclonal BYT-ORB19134

Article Name Goat anti-ERG Antibody, Unconjugated, Polyclonal Biozol Catalog Number BYT-ORB19134 Supplier Catalog Number orb19134 Alternative Catalog Number BYT-ORB19134-100 Manufacturer Biorbyt Host Goat Category Antikörper Application ELISA, FC, IF, WB	
Supplier Catalog Number orb19134 Alternative Catalog Number BYT-ORB19134-100 Manufacturer Biorbyt Host Goat Category Antikörper Application ELISA, FC, IF, WB	
Alternative Catalog Number BYT-ORB19134-100 Manufacturer Biorbyt Host Goat Category Antikörper Application ELISA, FC, IF, WB	
Manufacturer Biorbyt Host Goat Category Antikörper Application ELISA, FC, IF, WB	
Host Goat Category Antikörper Application ELISA, FC, IF, WB	
Category Antikörper Application ELISA, FC, IF, WB	
Application ELISA, FC, IF, WB	
Charles Departition	
Species Reactivity Human	
Conjugation Unconjugated	
Product Description Goat polyclonal antibody to ERG	
Clonality Polyclonal	
Molecular Weight 53.8, 52.0, 54.6, 44.0	
Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH 7 Buffer 0.5% bovine serum albumin. Aliquot and store at -20C. Minimiz freezing and thawing.	
Sequence PNTRLPTSHMPSH	
Target ERG	
Application Dilute ELISA: 1:16000, WB: 0.1-0.3 µg/ml, IHC-P: 10ug/ml	

Application Notes

ELISA: Peptide ELISA: antibody detection limit dilution 1:16000.IHC: In paraffin embedded Prostate shows nucleolar staining in some of the epithelial cells. Recommended concentration, 10-20ug/ml.WB: Preliminary experiments in lysates of cell lines HEK293, A431 and Jurkat gave no specific signal but low background (at antibody concentration up to 1 μ g/ml). We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates