

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Recombinant Human Interleukin-2 receptor subunit alpha (IL2RA), partial (Active) BYT-ORB1785084

Article Name	Recombinant Human Interleukin-2 receptor subunit alpha (IL2RA), partial (Active)
Biozol Catalog Number	BYT-ORB1785084
Supplier Catalog Number	orb1785084
Alternative Catalog Number	BYT-ORB1785084-20,BYT-ORB1785084-100,BYT-ORB1785084-1
Manufacturer	Biorbyt
Category	Proteine/Peptide
Product Description	This Recombinant Human Interleukin-2 receptor subunit alpha (IL2RA), partial (Active) spans the amino acid sequence from region 22-213aa. Purity: Greater than 95% as determined by SDS-PAGE....
Molecular Weight	23.6 kDa
UniProt	<a href="#">P01589</a>
Buffer	Lyophilized from a 0.2 µm filtered 20 mM Tris-HCl, 0.5 M NaCl, 6% Trehalose, pH 8.0
Source	Homo sapiens (Human)
Purity	Greater than 95% as determined by SDS-PAGE.
Form	Lyophilized powder
Sequence	ELCDDDPPEIPHATFKAMAYKEGTMLNCECKRGFRRIKSGSLYMLCTGNSSHS SWDNQCQCTSSATRNTTKQVTPQPEEQKERKTTEMQSPMQPVDQASLPGH CREPPPWEANEATERIYHFVVGQMVYYQCVQGYRALHRGPAESVCKMTHGKT RWTQPQLICTGEMETSQFPGEEKPQASPEGRPESETSC

Application Notes

Biological Origin: Homo sapiens (Human). Biological Activity: Measured by its binding ability in a functional ELISA. Immobilized Human IL2RA at 2  $\mu$ g/mL can bind Anti-IL2RA recombinant antibody, the EC50 is 2.463-3.353 ng/mL. ②Measured by its binding ability in a functional ELISA. Immobilized Human IL2RA at 2  $\mu$ g/mL can bind Human IL2, the EC50 is 1.693-2.039 ng/mL. Application Notes: We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference