

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

PPAR alpha Antibody, Unconjugated, Rabbit, Polyclonal Preis auf Anfrage BYT-ORB345414

Article Name	PPAR alpha Antibody, Unconjugated, Rabbit, Polyclonal Preis auf Anfrage
Biozol Catalog Number	BYT-ORB345414
Supplier Catalog Number	orb345414
Alternative Catalog Number	BYT-ORB345414-25
Manufacturer	Biorbyt
Host	Rabbit
Category	Antikörper
Application	ELISA, IF, IHC, WB
Species Reactivity	Human, Mouse
Immunogen	PPAR alpha Antibody was prepared from whole rabbit serum produced by repeated immunizations with a synthetic peptide corresponding to a N-Terminal region near amino acids 1-25 of mouse PPAR alpha.
Conjugation	Unconjugated
Product Description	PPAR alpha antibody...
Clonality	Polyclonal
Concentration	1.0 mg/mL
NCBI	31543500
UniProt	P23204

Buffer	0.01% (w/v) Sodium Azide
Purity	<p>This affinity purified antibody is directed against mouse PPAR alpha protein. The product was affinity purified from monospecific antiserum by immunoaffinity purification. A BLAST analysis was used to suggest reactivity with this protein from mouse, rat, bovine, dog, golden hamster and boar sources based on 100% homology for the immunogen sequence. Cross reactivity with PPAR alpha protein from human, chimpanzee and rhesus monkey may also occur as this sequence shows 88% homology (16/18 identities) with the protein from these sources. Cross reactivity with PPAR alpha homologues from other sources has not been determined. No reactivity is expected against other subtypes of PPAR.</p>
Form	Liquid (sterile filtered)
Application Dilute	ELISA: 1:8,000 - 1:32,000, IHC: 1:100-1:300, WB: 1:500 - 1:2,000
Application Notes	<p>Application Notes: Anti-PPAR alpha Antibody has been tested in ELISA, Western Blot, Immunohistochemistry, and Immunofluorescence. Expect a single band approximately 52 kDa in size corresponding to PPAR alpha by western blot in the appropriate tissue or cell lysate. A 1:200 dilution is suggested for Immunohistochemistry. Specific conditions for reactivity should be optimized by the end user</p>