

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Anti-RICK RIPK2 Antibody, Rabbit, Polyclonal BOB-A00818

|                            |   |
|----------------------------|---|
| Article Name               | Anti-RICK RIPK2 Antibody, Rabbit, Polyclonal  |
| Biozol Catalog Number      | BOB-A00818  |
| Supplier Catalog Number    | A00818  |
| Alternative Catalog Number | BOB-A00818-0.1MG  |
| Manufacturer               | Boster Bio  |
| Host                       | Rabbit  |
| Category                   | Antikörper  |
| Application                | ELISA, ICC, IF, WB  |
| Species Reactivity         | Human, Mouse, Rat   |
| Immunogen                  | RICK antibody was raised against a peptide corresponding to 20 amino acids near the amino terminus of human RICK. The immunogen is located within the first 50 amino acids of RICK. |
| Product Description        | Boster Bio Anti-RICK RIPK2 Antibody (Catalog A00818). Tested in ELISA, WB, ICC, IF applications. This antibody reacts with Human, Mouse, Rat....                                    |
| Clonality                  | Polyclonal  |
| Concentration              | 1 mg/ml   |
| Molecular Weight           | 61195 MW  |
| UniProt                    | <a href="#">O43353</a>  |
| Buffer                     | RICK Antibody is supplied in PBS containing 0.02% sodium azide.   |

|                    |   |
|--------------------|---|
| Form               | Liquid  |
| Application Dilute | RICK antibody can be used for detection of RICK by Western blot at 1 $\mu\text{g}/\text{mL}$ . Antibody can also be used for immunocytochemistry starting at 10 $\mu\text{g}/\text{mL}$ . For immunofluorescence start at 20 $\mu\text{g}/\text{mL}$ . Antibody validated: Western Blot in human and mouse samples, Immun |