

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Rat Caspase 1 protein, His tag, Unconjugated GTX00060-PRO

Article Name	Rat Caspase 1 protein, His tag, Unconjugated
Biozol Catalog Number	GTX00060-PRO
Supplier Catalog Number	GTX00060-pro
Alternative Catalog Number	GTX00060-PRO-10
Manufacturer	GeneTex
Category	Proteine/Peptide
Application	FA
Species Reactivity	Rat
Conjugation	Unconjugated
NCBI	25166
UniProt	P43527
Buffer	Reconstitute with 20mM Tris and 150mM NaCl to 0.1-1.0mg/ml. Do not vortex. Lyophilized from 20mM Tris, 150mM NaCl, 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose, ProClin 300.
Expression System	E. coli
Form	Lyophilized powder
Sequence	N-terminal His-Tag, Asn119~Asp296

Application Notes

Caspase 1 (CASP1) cleaves IL-1 beta between an Asp and an Ala, releasing the mature cytokine which is involved in a variety of inflammatory processes. It also has lots of other function, such as defenses against pathogens, cleaves and activates sterol regulatory element binding proteins (SREBPs), promotes apoptosis. Besides, Interleukin 1 Alpha (IL1a) has been identified as an interactor of CASP1, thus a binding ELISA assay was conducted to detect the interaction of recombinant rat CASP1 and recombinant rat IL1a. Briefly, CASP1 were diluted serially in PBS, with 0.01% BSA (pH 7.4). Duplicate samples of 100 μ l were then transferred to IL1a-coated microtiter wells and incubated for 2h at 37C. Wells were washed with PBST and incubated for 1h with anti-CASP1 pAb, then aspirated and washed 3 times. After incubation with HRP labelled secondary antibody, wells were aspirated and washed 3 times. With the addition of substrate solution, wells were incubated 15-25 minutes at 37C. Finally, add 50 μ l stop solution to the wells and read at 450nm immediately. The binding activity of of CASP1 and IL1a was in a dose dependent manner.