

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Human VEGFC protein, His tag (active), Unconjugated GTX00104-PRO

Article Name	Human VEGFC protein, His tag (active), Unconjugated
Biozol Catalog Number	GTX00104-PRO
Supplier Catalog Number	GTX00104-pro
Alternative Catalog Number	GTX00104-PRO-10
Manufacturer	GeneTex
Category	Proteine/Peptide
Application	FA
Species Reactivity	Human
Conjugation	Unconjugated
NCBI	7424
UniProt	P49767
Buffer	Reconstitute with 20mM Tris and 150mM NaCl to 0.1-1.0mg/ml. Do not vortex. Lyophilized from 20mM Tris, 150mM NaCl, 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose, ProClin 300.
Expression System	E. coli
Form	Lyophilized powder
Sequence	N-terminal His-Tag, Glu47~Trp413 (NP_005420.1)

Application Notes

Vascular endothelial growth factor C (VEGFC) is a protein that is a member of the platelet-derived growth factor/vascular endothelial growth factor (PDGF/VEGF) family. It plays key roles in the physiology and pathology of many aspects of the cardiovascular system, including vasculogenesis, hematopoiesis, angiogenesis and vascular permeability. To test the effect of VEGFC on cell proliferation of ECV304 endothelium cell line, cells were seeded into triplicate wells of 96-well plates at a density of 2000 cells/well and allowed to attach overnight, then the medium was replaced with serum-free standard DMEM prior to the addition of various concentrations of VEGFC. After incubated for 72h, cells were observed by inverted microscope and cell proliferation was measured by Cell Counting Kit-8 (CCK-8). Briefly, 10 μ L of CCK-8 solution was added to each well of the plate, then measure the absorbance at 450nm using a microplate reader after incubating the plate for 1-4 hours at 37C. And VEGFC significantly promoted cell proliferation of ECV304 cells. The ED50 for this effect is typically 0.304-1.339 μ g/ml.