

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Human C5a protein, His and Fc tag (active), Unconjugated GTX00416-PRO

Article Name	Human C5a protein, His and Fc tag (active), Unconjugated
Biozol Catalog Number	GTX00416-PRO
Supplier Catalog Number	GTX00416-pro
Alternative Catalog Number	GTX00416-PRO-10
Manufacturer	GeneTex
Category	Proteine/Peptide
Application	FA
Species Reactivity	Human
Conjugation	Unconjugated
NCBI	727
UniProt	P01031
Buffer	Reconstitute with 20mM Tris (pH8.0) and 150mM NaCl to 0.1-1.0mg/ml. Do not vortex. Lyophilized from 20mM Tris (pH8.0), 150mM NaCl, 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose, ProClin 300.
Expression System	HEK293 cells
Form	Lyophilized powder
Sequence	His-Tag and Fc-Tag, Thr678~Arg751 (NP_001726.2)

Application Notes	Complement Component 5a (C5a) is a component of the complement system which plays a key role in promoting migration and adherence of neutrophils and monocytes to vessel walls. C5a has been proven to be able to induce chemotactic migration of THP-1 cells. Therefore, chemotaxis assay used 24-well microchemotaxis system was undertaken to detect the chemotactic effect of C5a on the human monocytic cell line THP-1. Briefly, THP-1 cells were seeded into the upper chambers (100 μl cell suspension, 10^6 cells/ml in RPMI-1640 with 0.5% FBS) and C5a (50 and 100 ng/ml diluted separately in serum free RPMI-1640) was added in lower chamber with a polycarbonate filter (8 μm pore size) used to separate the two compartments. After incubation at 37C with 5% CO₂ for 2h, the filter was removed, then cells in low chamber were observed by inverted microscope at low magnification (*100) and the number of migrated cells were counted at high magnification (*400) randomly (five fields for each filter). C5a is able to induce migration of THP-1 cells.
-------------------	---