

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

hCG Holo Antibody, Clone: [HCGab/52], Mouse, Monoclonal NSJ-V3064IHC-7ML

Article Name	hCG Holo Antibody, Clone: [HCGab/52], Mouse, Monoclonal
Biozol Catalog Number	NSJ-V3064IHC-7ML
Supplier Catalog Number	V3064IHC-7ML
Alternative Catalog Number	NSJ-V3064IHC-7ML
Manufacturer	NSJ Bioreagents
Host	Mouse
Category	Antikörper
Application	IHC-P
Species Reactivity	Human
Immunogen	Purified hCG protein was used as the immunogen for the hCG Holo antibody.
Product Description	This mAb reacts only with the intact-HCG and not with either free alpha- or free beta-chain of HCG. HCG is a glycoprotein and is composed of two non-identical, non-covalently linked polypeptide chains designated as the alpha and beta subunits. The al...
Clonality	Monoclonal
Clone Designation	[HCGab/52]
UniProt	P01215
Purity	Protein G affinity chromatography

Form	Prediluted in 1X PBS, 0.1 mg/ml BSA (US sourced), 0.05% sodium azide, *For IHC use only*
Antibody Type	Primary Antibody
Application Dilute	The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.
Application Notes	Optimal dilution of the hCG Holo antibody should be determined by the researcher.1. Staining of formalin-fixed tissues requires boiling tissue sections in 10mM Citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min.2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.