

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

von Willebrand Factor Antibody Cocktail, Clone: [3E2D10 + VWF635], Mouse, Monoclonal NSJ-V3167-20UG

Article Name	von Willebrand Factor Antibody Cocktail, Clone: [3E2D10 + VWF635], Mouse, Monoclonal
Biozol Catalog Number	NSJ-V3167-20UG
Supplier Catalog Number	V3167-20UG
Alternative Catalog Number	NSJ-V3167-20UG
Manufacturer	NSJ Bioreagents
Host	Mouse
Category	Antikörper
Application	IHC-P
Species Reactivity	Human
Immunogen	A partial recombinant human protein was used as the immunogen for this vWF antibody.
Product Description	von Willebrand Factor (vWF) is a multimeric glycoprotein that is found in endothelial cells, plasma and platelets. It acts as a carrier protein for Factor VIII and promotes platelet adhesion and aggregation. vWF undergoes a variety of posttranslation...
Clonality	Monoclonal
Clone Designation	[3E2D10 + VWF635]
UniProt	P04275
Purity	Protein G affinity chromatography

Form	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide
Antibody Type	Primary Antibody
Application Dilute	Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT
Application Notes	The optimal dilution of the von Willebrand Factor antibody for each application should be determined by the researcher.1. Staining of formalin-fixed tissues requires boiling tissue sections in pH 9 10mM Tris with 1mM EDTA for 10-20 min followed by cooling at RT for 20 minutes.