

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

GRP94 Antibody / HSP90B1, Clone: [SRPR90b], Rat, Monoclonal NSJ-V7173IHC-7ML

| | |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Name | GRP94 Antibody / HSP90B1, Clone: [SRPR90b], Rat, Monoclonal |
| Biozol Catalog Number | NSJ-V7173IHC-7ML |
| Supplier Catalog Number | V7173IHC-7ML |
| Alternative Catalog Number | NSJ-V7173IHC-7ML |
| Manufacturer | NSJ Bioreagents |
| Host | Rat |
| Category | Antikörper |
| Application | IHC-P |
| Species Reactivity | Human |
| Immunogen | Recombinant full-length human HSP90B1 protein was used as the immunogen for the GRP94 antibody. |
| Product Description | Heat shock protein 90kDa beta member 1, known also as endoplasmic, gp96, grp94 and ERp99, is an HSP90 parologue that is found in the endoplasmic reticulum. It plays critical roles in folding proteins in the secretory pathway such as Toll-like recepto... |
| Clonality | Monoclonal |
| Clone Designation | [SRPR90b] |
| UniProt | P14625 |
| Purity | Protein G affinity chromatography |

| | |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Form | Prediluted in 1X PBS, 0.1 mg/ml BSA (US sourced), 0.05% sodium azide, *For IHC use only* |
| Antibody Type | Primary Antibody |
| Application Dilute | The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min. |
| Application Notes | Titering of the GRP94 antibody may be required for optimal performance.1. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min. |