

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Insulin Antibody, Clone: [SPM139], Mouse, Monoclonal NSJ-V9034-100UG

Article Name	Insulin Antibody, Clone: [SPM139], Mouse, Monoclonal
Biozol Catalog Number	NSJ-V9034-100UG
Supplier Catalog Number	V9034-100UG
Alternative Catalog Number	NSJ-V9034-100UG
Manufacturer	NSJ Bioreagents
Host	Mouse
Category	Antikörper
Application	IHC-P
Species Reactivity	Human
Immunogen	Full length (amino acids 1-84) purified pig insulin was used as the immunogen for this Insulin antibody.
Product Description	Recognizes a polypeptide which is identified as Insulin, a 51-amino acid polypeptide composed of A and B chains connected through the C-peptide. Proinsulin, which has very little biological activity, is cleaved by proteases within its cell of origin ...
Clonality	Monoclonal
Clone Designation	[SPM139]
UniProt	<a href="#">P01308</a>
Purity	Protein G affinity chromatography

Form	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide
Antibody Type	Primary Antibody
Application Dilute	Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT
Application Notes	<p>The optimal dilution of the Insulin antibody for each application should be determined by the researcher.1. Staining of formalin-fixed tissues requires boiling tissue sections in pH 9 10mM Tris with 1mM EDTA for 10-20 min followed by cooling at RT for 20 minutes.2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.</p>