

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Moesin Antibody, Clone: [SPM562], Mouse, Monoclonal NSJ-V9046SAF-100UG

Article Name	Moesin Antibody, Clone: [SPM562], Mouse, Monoclonal
Biozol Catalog Number	NSJ-V9046SAF-100UG
Supplier Catalog Number	V9046SAF-100UG
Alternative Catalog Number	NSJ-V9046SAF-100UG
Manufacturer	NSJ Bioreagents
Host	Mouse
Category	Antikörper
Application	IF, IHC-P, WB
Species Reactivity	Human
Immunogen	Recombinant human protein was used as the immunogen for this Moesin antibody.
Product Description	Recognizes 78kDa moesin protein. Moesin, a member of the Talin-4.1 superfamily, is a linking protein of the submembraneous actin cytoskeleton. It is expressed in variable amounts in cells of different phenotypes such as macrophages, lymphocytes, fibr...
Clonality	Monoclonal
Clone Designation	[SPM562]
UniProt	P26038
Purity	Protein G affinity chromatography
Form	1 mg/ml in 1X PBS, BSA free, sodium azide free

Antibody Type	Primary Antibody
Application Dilute	Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT,Western blot: 1-2ug/ml,Immunofluorescence: 1-2ug/ml
Application Notes	<p>The optimal dilution of the Moesin antibody for each application should be determined by the researcher.</p> <ol style="list-style-type: none"> 1. Staining of formalin-fixed tissues requires boiling tissue sections in pH 9 10mM Tris with 1mM EDTA for 10-20 min followed by cooling at RT for 20 minutes. 2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.