

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant Rabbit Monoclonal Antibody to IgG (Immunoglobulin Gamma Heavy Chain) (B-Cell Marker)(Clone : IG1707R), Clone: [IG1707R] ABI-12-1027-20

| | |
|----------------------------|---|
| Article Name | Recombinant Rabbit Monoclonal Antibody to IgG (Immunoglobulin Gamma Heavy Chain) (B-Cell Marker)(Clone : IG1707R), Clone: [IG1707R] |
| Biozol Catalog Number | ABI-12-1027-20 |
| Supplier Catalog Number | 12-1027-20 |
| Alternative Catalog Number | ABI-12-1027-20-20UG |
| Manufacturer | Abeomics |
| Category | Sonstiges |
| Application | IHC |
| Species Reactivity | Human |
| Immunogen | Purified human Ig Gamma Chain |
| Product Description | Recognizes a protein of 75kDa, identified as gamma heavy chain of human immunoglobulins. It does not cross-react with alpha (IgA), mu (IgM), epsilon (IgE), or delta (IgD), heavy chains, T-cells, monocytes, granulocytes, or erythrocytes. This antibody... |
| Clonality | Monoclonal |
| Clone Designation | [IG1707R] |
| NCBI | 3500 |
| UniProt | P01857 |
| Purity | Purified Ab with BSA and Azide at 200ug/ml |

| | |
|--------------------|--|
| Form | Purified |
| Target | IgG (Immunoglobulin Gamma Heavy Chain) (B-Cell Marker) |
| Antibody Type | Recombinant Antibody |
| Application Dilute | Immunohistochemistry (Formalin-fixed) (1-2µg/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes), |