

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-von Willebrand Factor / Factor VIII Related-Ag (Endothelial Marker) Recombinant Rabbit Monoclonal Antibody (Clone:VWF/1859R), Clone: [VWF/1859R] ABI-12-1266-20

| | |
|----------------------------|---|
| Article Name | Anti-von Willebrand Factor / Factor VIII Related-Ag (Endothelial Marker) Recombinant Rabbit Monoclonal Antibody (Clone:VWF/1859R), Clone: [VWF/1859R] |
| Biozol Catalog Number | ABI-12-1266-20 |
| Supplier Catalog Number | 12-1266-20 |
| Alternative Catalog Number | ABI-12-1266-20-20UG |
| Manufacturer | Abeomics |
| Host | Rabbit |
| Category | Sonstiges |
| Application | IHC, WB |
| Species Reactivity | Human |
| Immunogen | Recombinant fragment of human vWF protein (aa 1815-1939) (exact sequence is proprietary) |
| Product Description | von Willebrand Factor (vWF) is a multimeric glycoprotein that is found in endothelial cells, plasma and platelets. It acts as a carrier protein for Factor VIII and promotes platelet adhesion and aggregation. vWF undergoes a variety of posttranslation... |
| Clonality | Monoclonal |
| Clone Designation | [VWF/1859R] |
| NCBI | 7450 |

| | |
|--------------------|---|
| UniProt | P04275 |
| Purity | Protein A/G |
| Form | Purified |
| Antibody Type | Recombinant Antibody |
| Application Dilute | Western Blot (1-2µg/ml), Immunohistochemistry (Formalin-fixed) (1-2µg/ml for 30 minutes at RT) (Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for |