

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Polyclonal Antibody to EpCAM-cyt, Rabbit ABI-11-7508-25

|                            |                                                                          |
|----------------------------|--------------------------------------------------------------------------|
| Article Name               | Polyclonal Antibody to EpCAM-cyt, Rabbit                                 |
| Biozol Catalog Number      | ABI-11-7508-25                                                           |
| Supplier Catalog Number    | 11-7508-25                                                               |
| Alternative Catalog Number | ABI-11-7508-25-25UG                                                      |
| Manufacturer               | Abeomics                                                                 |
| Host                       | Rabbit                                                                   |
| Category                   | Antikörper                                                               |
| Application                | IHC, WB                                                                  |
| Species Reactivity         | Human                                                                    |
| Clonality                  | Polyclonal                                                               |
| NCBI                       | <a href="#">4072</a>                                                     |
| UniProt                    | <a href="#">P16422</a>                                                   |
| Purity                     | Protein A Chromatography                                                 |
| Form                       | Purified                                                                 |
| Target                     | EpCAM-cyt                                                                |
| Application Dilute         | Western blot analysis: 1-2 µg/ml, Immunohistochemical analysis: 20 µg/ml |