

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Horse IgG F(ab)2 Antibody Biotin Conjugated, Rabbit, Polyclonal BYT-ORB347169

| | |
|----------------------------|--|
| Article Name | Horse IgG F(ab)2 Antibody Biotin Conjugated, Rabbit, Polyclonal |
| Biozol Catalog Number | BYT-ORB347169 |
| Supplier Catalog Number | orb347169 |
| Alternative Catalog Number | BYT-ORB347169-1.5 |
| Manufacturer | Biorbyt |
| Host | Rabbit |
| Category | Antikörper |
| Application | ELISA, IHC, WB |
| Species Reactivity | Equine |
| Immunogen | Horse IgG F(ab)2 fragment |
| Conjugation | Biotin |
| Product Description | Horse IgG F(ab)2 antibody (Biotin)... |
| Clonality | Polyclonal |
| Concentration | 1.5 mg/mL |
| Buffer | Preservative: 0.01% (w/v) Sodium Azide. Stabilizer: 10 mg/mL Bovine Serum Albumin (rAlbumin) - Immunoglobulin and Protease free, Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |

| | |
|--------------------|---|
| Purity | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Horse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Rabbit Serum, Horse IgG, Horse IgG F(ab)2 and Horse Serum. No reaction was observed against Horse IgG F(c). |
| Form | Lyophilized |
| Application Dilute | ELISA: 1:20,000 - 1:100,000, IHC: 1:1,000 - 1:5,000, WB: 1:2,000 - 1:10,000 |
| Application Notes | Application Notes: This product has been assayed against 1.0 ug of Horse IgG in a standard capture ELISA using Peroxidase Conjugated Streptavidin and ABTS (2,2-azino-bis-[3-ethylbenthiiazoline-6-sulfonic acid]) code as a substrate for 30 minutes at room temperature. A working dilution of 1:10,000 to 1:45,000 of the reconstitution concentration is suggested for this product. Reconstitution Buffer: Restore with deionized water (or equivalent). Reconstitution Volume: 1.0 mL |