

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

CLCF1 Antibody (Biotin), Rabbit, Polyclonal BYT-ORB1272764

| | |
|----------------------------|--|
| Article Name | CLCF1 Antibody (Biotin), Rabbit, Polyclonal |
| Biozol Catalog Number | BYT-ORB1272764 |
| Supplier Catalog Number | orb1272764 |
| Alternative Catalog Number | BYT-ORB1272764-0.05 |
| Manufacturer | Biorbyt |
| Host | Rabbit |
| Category | Antikörper |
| Application | ELISA, WB |
| Species Reactivity | Human |
| Immunogen | Produced from sera of rabbits pre-immunized with highly pure (>98%) recombinant hNNT-1/BCSF-3. Human NNT-1/BCSF-3 specific antibody was purified by affinity chromatography and then biotinylated. |
| Conjugation | Biotin |
| Product Description | CLCF1 Antibody (Biotin)... |
| Clonality | Polyclonal |
| Concentration | batch dependent |
| NCBI | 9 |
| UniProt | Q9UBD9 |

| | |
|-------------------|--|
| Form | Lyophilized |
| Target | CLCF1 |
| Application Notes | <p>Application Notes: ELISA:Sandwich:To detect hNNT-1 by sandwich ELISA (using 100 µL/well antibody solution) a concentration of 0.25 - 1.0 µg/mL of this antibody is required. This biotinylated polyclonal antibody, in conjunction with our polyclonal Anti-Human NNT-1 as a capture antibody, allows the detection of at least 0.2 - 0.4 ng/well of recombinant hNNT-1. Western Blot:To detect hNNT-1/BCSF-3 by Western Blot analysis this antibody can be used at a concentration of 0.1 - 0.2 µg/mL. Used in conjunction with compatible secondary reagents the detection limit for recombinant hNNT-1/BCSF-3 is 1.5 - 3.0 ng/lane, under either reducing or non-reducing conditions</p> |