

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Sheep anti Human Factor H, Clone: [Polyclonal], Monoclonal NMB-SHAHU/FH

Article Name	Sheep anti Human Factor H, Clone: [Polyclonal], Monoclonal
Biozol Catalog Number	NMB-SHAHU/FH
Supplier Catalog Number	ShAHu/FH
Alternative Catalog Number	NMB-SHAHU/FH
Manufacturer	NordicMubio
Host	Sheep
Category	Antikörper
Product Description	The reactivity of the antiserum is restricted to factor H. In immunoelectrophoresis and radial immunodiffusion, using various antiserum concentrations against human EDTA plasma a single precipitin line is obtained and shows a reaction of full identit...
Clonality	Monoclonal
Clone Designation	[Polyclonal]
NCBI	<a href="#">3075</a>
UniProt	<a href="#">P08603</a>
Buffer	Delipidated, heat inactivated, lyophilized, stable IgG fraction. No preservative added. Total protein and IgG concentration are comparable to those of pooled normal sheep serum. No foreign proteins added. Reconstitute the lyophilized antiserum by adding 1

Source	Factor H is a serum protein acting as an inhibitor in the complement activation system. It activates the C3/C5 convertase by dissociating its subunits and also acts as a cofactor for the enzyme activity of Factor I. It has been isolated as a homogenous pro
Formula	Delipidated, heat inactivated, lyophilized, stable IgG fraction. No preservative added. Total protein and IgG concentration are comparable to those of pooled normal sheep serum. No foreign proteins added.
Application Notes	Precipitation assays. In immunoelectrophoresis in agarose-plates use 2 µl human plasma or equivalent against 120 µl antiserum. In double radial immunodiffusion use a rosette arrangement with 10 µl antiserum in 3 mm diameter center well and 2 µl plasma samples (neat and serially diluted) in 2 mm diameter peripheral wells. In electroimmunodiffusion (Laurell) use a concentration of 1% of the antiserum in the gel.