

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | Fax: +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Swine IgG anti-Human IgG (H+L)-Biotin, MinX Bo,Ca,Ck,Dg,Go,Gp,Hm,Ho,Ms,Rb,Rt,Sh NMB-SWAHU/IGG(H+L)/BIO

Article Name	Swine IgG anti-Human IgG (H+L)-Biotin, MinX Bo,Ca,Ck,Dg,Go,Gp,Hm,Ho,Ms,Rb,Rt,Sh
Biozol Catalog Number	NMB-SWAHU/IGG(H+L)/BIO
Supplier Catalog Number	SwAHu/IgG(H+L)/Bio
Alternative Catalog Number	NMB-SWAHU/IGG(H+L)/BIO
Manufacturer	NordicMubio
Host	Porcine
Category	Antikörper
Species Reactivity	Human
Conjugation	Biotin
Format	IgG
Target Specificity	IgG (H+L)
Cross-Adsorption (MinX)	Bovine,Feline,Gallus,Canine,Goat,Guinea pig,Hamster (all),Equine,Mouse,Rabbit,Rat,Sheep
Product Description	The reactivity of the antiserum is directed to the Fc and Fab subunits of the IgG molecule. It includes a certain degree of reactivity with other immunoglobulins via the common Fab portion. It does not react with any non-Ig protein in human serum, as
Clonality	Polyclonal
Clone Designation	[Polyclonal]

Buffer	Biotin-coupled purified hyperimmune swine IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added. It is reconstituted by adding 1 ml sterile distilled water, spun down to remove insoluble particles, divided into
Source	Purified normal IgG isolated from pooled human serum. Freunds complete adjuvant is used in the first step of the immunization procedure.
Formula	Biotin-coupled purified hyperimmune swine IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added.
Antibody Type	Secondary Antibody
Application Notes	ELISA,Immunocytochemistry,Immunohistochemistry (paraffin),Dot blot,Immunoblotting.