

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Swine anti Mouse IgG (heavy and light chains), conjugated with FITC, Clone: [Polyclonal], Porcine, Monoclonal NMB-SWAM/IGG(H+L)/FITC

| Article Name               | Swine anti Mouse IgG (heavy and light chains), conjugated with FITC,<br>Clone: [Polyclonal], Porcine, Monoclonal  |
|----------------------------|---|
| Biozol Catalog Number      | NMB-SWAM/IGG(H+L)/FITC  |
| Supplier Catalog Number    | SwAM/IgG(H+L)/FITC  |
| Alternative Catalog Number | NMB-SWAM/IGG(H+L)/FITC  |
| Manufacturer               | NordicMubio   |
| Host                       | Porcine   |
| Category                   | Antikörper  |
| Conjugation                | FITC  |
| Product Description        | The reactivity of the antiserum is directed to the Fc and Fab subunits<br>of the IgG molecule. It includes a certain degree of reactivity with<br>other immunoglobulins via the common Fab portion. It does not<br>react with any non-Ig protein in mouse serum, as |
| Clonality                  | Monoclonal  |
| Clone Designation          | [Polyclonal]  |
| Buffer                     | FITC-coupled purified hyperimmune swine IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 2 ml sterile distilled water, spun do      |

## BIOZOL

| Source            | Purified normal IgG isolated from pooled mouse serum. Freunds complete adjuvant is used in the first step of the immunization procedure.   |
|-------------------|--|
| Formula           | FITC-coupled purified hyperimmune swine IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. |
| Application Notes | ELISA,Immunocytochemistry,Immunohistochemistry<br>(frozen),(In)direct immunofluorescence.  |