

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Swine Antiserum anti-Rabbit IgG (H+L)-unconj., MinX none NMB-SWAR/IGG(H+L)

Article Name	Swine Antiserum anti-Rabbit IgG (H+L)-unconj., MinX none
Biozol Catalog Number	NMB-SWAR/IGG(H+L)
Supplier Catalog Number	SwAR/IgG(H+L)
Alternative Catalog Number	NMB-SWAR/IGG(H+L)
Manufacturer	NordicMubio
Host	Porcine
Category	Antikörper
Species Reactivity	Rabbit
Conjugation	Unconjugated
Format	Antiserum
Target Specificity	IgG (H+L)
Cross-Adsorption (MinX)	no cross-adsorbtion
Product Description	The reactivity of the antiserum is directed to the Fc and Fab subunits of the IgG molecule. It includes a certain degree of reactivity with other immunoglobulins via the common Fab portion. It does not react with any non-Ig protein in rabbit serum, a...
Clonality	Polyclonal
Clone Designation	[Polyclonal]

Buffer	Purified hyperimmune swine IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. No foreign protein added. It is reconstituted by adding 1 ml sterile distilled w
Source	Purified normal IgG isolated from pooled rabbit serum. Freunds complete adjuvant is used in the first step of the immunization procedure.
Formula	Purified hyperimmune swine IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. No foreign protein added.
Antibody Type	Secondary Antibody
Application Notes	Precipitation assays. In immunoelectrophoresis use 2 µl or equivalent against 120 µl antiserum. In double radial immunodiffusion (Ouchterlony) use a rosette arrangement with 10 µl antiserum in a 3 mm diameter centre well and 2 µl serum samples (neat and